



| | |
|---------------------|------------------------------|
| BRAND | PipingRock |
| PRODUCT | Mega Multi Chelated Minerals |
| ITEM NO. | 651 |
| PACKAGING LOT NO. * | 509657 |
| PACKAGING DATE | 2023-12-29 |




*Typical Certificate of Analysis for this product - your lot number and date may differ

WEIGHT

Weight PASS

INGREDIENT TESTING

| Ingredients | Label Claim | Result |
|-------------|-------------|--------|
| Vitamin D | 400IU/10mcg | PASS |
| Calcium | 500mg | PASS |
| Phosphorus | 140mg | PASS |
| Iodine | 225mcg | PASS |
| Magnesium | 500mg | PASS |
| Zinc | 15mg | PASS |
| Selenium | 100mcg | PASS |
| Copper | 2mg | PASS |
| Manganese | 6mg | PASS |
| Chromium | 200mcg | PASS |
| Molybdenum | 50mcg | PASS |
| Potassium | 99mg | PASS |
| Boron | 3mg | PASS |
| Vanadium | 10mcg | PASS |



SUPERIOR QUALITY GUARANTEED

PipingRock®



| | |
|---------------------|------------------------------|
| BRAND | PipingRock |
| PRODUCT | Mega Multi Chelated Minerals |
| ITEM NO. | 651 |
| PACKAGING LOT NO. * | 509657 |
| PACKAGING DATE | 2023-12-29 |



*Typical Certificate of Analysis for this product - your lot number and date may differ

MICROBIOLOGICAL ANALYSIS

cfu/g = colony-forming unit per gram

| | Limits | Result |
|-------------------|----------------------------|--------|
| E. coli | Negative | ✓ PASS |
| S. aureus | Negative | ✓ PASS |
| Salmonella spp | Negative | ✓ PASS |
| Yeast & Mold | $\leq 3 \times 10^2$ cfu/g | ✓ PASS |
| Total Plate Count | $\leq 3 \times 10^3$ cfu/g | ✓ PASS |



SUPERIOR QUALITY GUARANTEED

PipingRock®